
September 2023



NEW PRODUCT UPDATE



6

New to Norbain – Power Sonic

- Range of batteries
- Ideal for security applications
- Range of UPS (Uninterruptable Power Supplies)
- Tower or Rack mount options available







NEW PRODUCT UPDATE



6

New to Norbain – TP-Link

- Range of Network Switches
- Unmanaged, SmartWeb, Managed
- PoE and non PoE
- Extended range options
- Wireless Access Point
- Wireless transmission
- Powerline kits





NEW PRODUCT UPDATE





New to Norbain – Videoloft

- Cloud based surveillance system
- Using cloud adapters for plug and play install
- From small to larger systems
- Monthly based subscription
- No NVR/VMS on site
- Support for IOS and Android
- After receiving the adaptor simply click on the link to get started

http://videoloft.com/NorbainSD

View Products Here

.videoloft







. .



- 6MP and 12MP options
- Vandal and Non-vandal options
- Infra-red options
- Wide Dynamic Range (WDR)
- Deep learning analytics
- Enhanced cyber security









6



- All in one ANPR verifier camera kit
- Bullet or Vandal Dome
- Ideal for slow traffic
- 7-20M read
- Built in ANPR software
- Integrates into Axis Camera Station









6



- Series of Smart Managed Gigabit PoE switches
- Web based GUI
- Up to 90watts on selected ports (MPP units)
- Extend mode on selected ports (250M)
- 10 port models (8x copper, 2x SFP)
- 28 port models (24x copper, 4x Combo)
- Auto detect of Onvif devices





6

GJD350 Detector

- Long range external motion wired detector
- Up to 50M
- Adjustable pan and tilt
- Covert sensor module
- Narrow width detection beam
- Exception resistance to false alarms







. .

Hanwha Vision PNV-A6081R

- 2Megapixel Vandal Dome with SSD storage
- ITB and 2TB options
- Up to 120ips
- IP67, IK10
- Heightened cyber security
- Pre-licenced with 1x Wave VMS channel
- Connect and record up to 5 additional cameras
- Built in Infra-Red
- WDR









Hikvision Turbo PoC with Smart Hybrid Light

- 3K Turbo analogue cameras
- Power over Coax (PoC)
- Infra Red and White Light
- 20/40M IR, 20/40 White light
- Bullet and Turret options
- IP67

View Products Here



HIKVISION°





Honeywell HSV-HC70WC5R3

- Anti-ligature corner mount camera
- 5Megapixel with 2.4mm lens
- Audio, integrated mic and speaker
- 940nM Infra-red, and white light
- Complete with on board analytics
- Enhanced cyber security
- Secure by Default

<u>View Products Here</u>





NEW PRODUCT

UPDATE



. .

Ligowave DLB-15N wireless unit

- 5GHz TX/RX wireless transceiver
- 170Mbits throughput
- Integrated 15dBi antenna
- Built in web browser
- IP66
- Ideal for point to point applications



			• • • OLIpidLESPRO × • • •				← ⇒ C ň D 10.0.10.103/8081/ndex.html?h=874399534/status/statistics										- (,
• • • Clayous spec ×			← → C ff 🗋 10.0.10.103.8081/index.html?h=87439953#/tools/s			3#/tools/s	APOPC GM 1 V7.51 - GEVEL BED S SHOWE									Logout	Logout
← → C fi □ 10.0.10.103/8081/index.html?h=87439963#/status/int			APOPE ON 1 JP. DE VEL BY THE SHARE				C Define CPU had 85 NJ										
APOPE ON 1.47.81 DEVEL KITS (Lyonn)							Le Le			i o X 🛍 Hardini, 27 m			Uppense UPV lised (str N) 1 hour 45 min, 27 sec. UPV lised (str N) which 1500 sec 7.5d P 27 stations				
		O i o		0					🛡 whiti 122								
	LigoWave i			UgoWave				i	i STATISTICS								
	i INFORMATION				ANTENNA ALIGNMENT			<u>k</u>	Interface counters								
	lec.	Product name: 0L8 5-90		0	Shop				Interface	MAC address	Tx data	Rx date	To packets	Pa pocketa	Tx errors	Fix errors	
	-	Device serial No.: 08161421000001 Network mode: Bridge		0	-30			Ð	6-0	00.19.30.03.40.94	12.49 MB	59.70 MB	27.80 k	151.62 K		0	
	0	Wreless mode: Access point (Pr							Wred								
		Radio			~				end (img)	00.19.38(0).40(95	65.45 MB	1.55 MB	147.92 K	14.97 K	0	0	
		Channel: 88 (5440 MHz) Channel width (MHz): 40 Ubper							Wreless atro (Jb, atheros)	00 19 38 00 40 94	540.76 MB	520.17 MB	847 M	8.45 M	•		
		Tx power (dbm): 25 Noise level (dbm): -85															
				§				Note: counters display information since device startup.									
Wreless (Access point (Poll 2)							Wired (eth2) traffic (last 5 min.)										
	Network 650			3				1							Tx, Mips		
		db,ahwos			-											Ra, Mispa	
		Network			-												
		Pinethod: State															
		IP address: 10.021.2 Subnet mask: 255.255.0 Default gateway: 10.021.1 DNS server 1: 8.8.8			~										A A .	1 A	
					.13						$-\sqrt{2}$	$\vee \overline{\vee} \vee$	$\sim \sqrt{2}$	~~~~	-77		
									Wireless (ath0) traffic (la	(Frank)							
									the search in the search for	(o miny							

.

Mobotix New Move PTZ series

- Indoor and Outdoor PTZ domes
- 2MP, 3MP, 5MP and 8MP options
- Integrated Video Analytics
- Up to 40x optical zoom
- LiDAR autofocus
- NDAA compliant

View Products Here



MOBOTIX

NEW PRODUCT UPDATE






Suprema Biostar 2

- BioStar 2 offers a comprehensive range of features designed to enhance security and streamline access control processes.
- Web-based User Interface
- Multiple Sites, can all be centrally managed
- Anti-passback
- Anti-tailgating
- Up to 1,000 Devices
- Multiple Access Levels / Groups
- All Credential Types Available: Card / PIN / QR Codes / Mobile Credential / Fingerprint / Facial Authentication
- Fire Alarm integration
- Muster Reporting
- Time & Attendance
- 3rd Party Integrations to other security systems

suprema









Did you know?

- With the ever-increasing use of wireless devices, we are seeing increasing issues with 5GHz wireless systems in some areas, due to the number of devices using the same frequency
- An answer to this is to consider using 60GHz devices, less distance but much greater throughput
- In addition, greater support for multiple devices back to one receiver
- Norbain can offer 60GHz through Talychon networks

For more information, please contact your account manager.

