

NEW PRODUCT UPDATE

January 2023





Defender

- Low-cost Security Fogging device
- Blue smoke to differentiate from fire
- 100M³ in 25 seconds
- Dual tampers
- Can be triggered remotely
- Comes with replacement cannister
- Compact design (110x190x130mm)
- Complies with BS EN50131-10-2014

View on website

ATM SECURITY





Milestone Kite

- Cloud based storage surveillance system
- Can be hybrid, recording locally as well as cloud or both
- Bridge device required
- Licence subscription for cloud storage
- All the benefits of open platform with support of many cameras
- Support for Axis Access Control Solution
- Full mobile device support
- Small to medium sized systems











- 2 models in the range
- 15x and 25x optical zoom choice
- 4Mpixel resolution
- Fixed overview bullet camera with PTZ
- Both IR and white light
- Darkfighter and ColourVu technology



View on website









- 5Mpixel turret camera
- 2.8mm or 3.6mm lens
- Smart IR up to 30M
- Power over Coax (PoC)
- IP67











Pelco Sarix Pro 4 camera series

- Fixed dome and bullet cameras
- Varifocal lens
- 3.4-10.5mm in dome and bullet
- 10.9-29mm and 4.8-40.8mm bullet only
- 2Mpix/3Mpix and 5Mpix options
- Wide range of analytics on board
- Onvif compliant
- NDAA
- 5-year warranty









Redvision RVX3 Storm

- 316 Stainless Steel PTZ camera
- Marine grade 316 stainless steel
- Ideal for harsh environments
- Manufactured using environment friendly techniques
- 30x optical zoom
- Options for PoE, IR and/or white light, alarms
- Onvif compliant
- Super low-light sensor







AMG 160 series

- Ethernet extenders for coax or 2 wire
- 30W PoE pass through support
- Up to 550M 100Mbps or 914M at 10Mbps
- -40 to +75 degrees C
- In addition, models available for UTP extenders
- 60/90W PoE pass through

View on website











- 2 models currently in the range
- G2 internal PIR (<u>FLX-S-ST</u>)
- G3 internal dual tech (FLX-S-DT)
- Flexible lens giving two options in ST model
- Pet Immunity




Flexible lens: One lens, two options


Selectable wide and narrow detection with one sensor. Simply switch the lens to change the shape of the detection area best suited to the installation site.


Wide Detection Area





Narrow and Long Detection Area














GJD Laser Detector

- Laser based security detector
- Creates virtual curtains for walls and ceilings
- 3 models available
- 5Mx5M, 10Mx10M and 25Mx25M
- Suited for many applications

View on website











Honeywell LuminAXS OSDP Readers

- OSDP reader
- Two options, one with keypad
- Support of MIFARE and DESFire EVI and EV2 only
- IP65 compact design
- 3 status LED
- Programmable light ring
- Integrated buzzer
- Weigand models also available

View on website

Honeywell







- Internal vandal proof IK8 dome
- 8Mpix/4K resolution
- Compact, discreet design
- WDR
- Analytics inclusive of object classification
- Built in cybersecurity features











Axis Q6225-LE

- 1080HD Ruggedised PTZ
- ½" sensor for excellent low light images
- 31x optical zoom lens
- Electronic Image Stabilisation
- Preinstalled Axis object analytics
- Optimised IR









New features:

- Advanced Object Search
- 2FA (2 Factor Authentication)
- Audio mapping
- Encrypted archives
- Resource grouping
- Higher levels of security



View on website



Hanwha Techwin



Did you know?

- Norbain offer a full range of network switches
- From unmanaged network switches through to Layer 3 stackable
- Remember that unmanaged network switches offer no security for data. For example, unused ports cannot be disabled
- In addition, it is important to remember that if installing a network switch in an external cabinet a hardened/ruggedised switch is highly recommended

